



Silky CATALOG Vol.09 / 2023



U.M. KOGYO INC.
1015-1 Kishi-cho Ono Hyogo 675-1343 JAPAN
www.silky.co.jp
info@silky.jp

designed by **OneStroke**
onestroke.amebaownd.com

23
Silky
Catalog
2023



A Silky saw won't fall out of its scabbard and always provides straight cuts, even in the toughest conditions. The clean cuts that are left behind allow trees to recover well and lead to healthy forests.

SAW that professionals continue to use ... Silky

01 FIXED SAWS

SUGOI X-LARGE 08



SUGOWAZA X-LARGE 09



IDUKI X-LARGE 09



ZÜBAT LARGE 10



ZÜBAT FINE 10



ZÜBAT ARBORIST X-LARGE 10



TSURUGI LARGE 11



TSURUGI MEDIUM 11



TSURUGI CURVE LARGE 11



TSURUGI CURVE MEDIUM 11



GUN-FIGHTER CURVE LARGE 11



NATANO KO LARGE 11



Gomtaro LARGE 12



Gomtaro FINE 12



Gomtaro Pro-Sentei LARGE FINE 12



Gomtaro Root-Cutting LARGE 12



02 FOLDING SAWS

GOMBOY MEDIUM 14



GOMBOY CURVE LARGE 14



POCKETBOY MEDIUM 15



POCKETBOY LARGE 15



POCKETBOY FINE 15



POCKETBOY CURVE LARGE 15



BIGBOY MEDIUM 16



BIGBOY LARGE 16



BIGBOY FINE 16



BIGBOY 2000 X-LARGE 16



KATANABOY X-LARGE 17



F100 LARGE 18



F100 FINE 18



SUPER ACCEL Z1 LARGE 18



SUPER ACCEL Z1 FINE 18



ULTRA ACCEL STRAIGHT LARGE 18



ULTRA ACCEL CURVE LARGE 18



WOODWORKING SAWS

WOODBOY X-FINE 18



hibiki X-FINE 18



03 CHOPPERS

NATA Double Edge 20



ONO 20



YOKI 20



04 OUTBACK EDITION

POCKETBOY OUTBACK Edition MEDIUM 23-24



GOMBOY CURVE OUTBACK Edition LARGE 23-24



BIGBOY 2000 OUTBACK Edition X-LARGE 23-24



- 01. FIXED SAWS
- 02. FOLDING SAWS
- 03. CHOPPERS
- 04. OUTBACK EDITION



Full Lineup

PROFESSIONAL

Silky's manufacturing includes many processes and techniques. Supported by professionals worldwide.

ICON DESCRIPTIONS

For USE

EXTRA LARGE



FORESTRY



ARBORIST

LARGE



PRUNING



FORESTRY



ROOT CUTTING



ARBORIST

MEDIUM



PRUNING



CONSTRUCTION



ARBORIST

FINE



PRUNING



WOOD WORKING



BAMBOO CUTTING



ARBORIST

EXTRA FINE



DIY&HOBBY



WOOD WORKING

For FUNCTION



NON-SET TEETH

The blade is taper ground to reduce resistance giving smoother, easier, faster cutting performance.



MIRAI-ME

The blade has 4 cutting angles along its length. It leaves a smooth surface after cutting and can rip-cut, cross-cut and slant-cut.



PROGRESSIVE TEETH

Progressive teeth provide an easier, smoother start of the cutting stroke followed by a high speed, super productive finish.



4-RETSUME

For cross-cutting, rip-cutting and slant-cutting. Cuts in all directions. When the grain of the wood is longways, the saw cuts smoothly at the point where the branch joins.



IMPULSE-HARDENING

The teeth of the blades are heated instantly and hardened, and stay sharp about three times longer than non-hardened teeth.



SHARPENABLE

The blade can be sharpened with a file.



HARD CHROME PLATING

Hard chrome plating produces an exceedingly high durable surface, and is resistant to rust and the effects of resin.



ELECTROLESS NICKEL PLATING

New Electroless Nickel Plating coating process allows the entire blade, even the teeth, to be coated. This provides superior wear and rust resistance for improved cutting performance and extended blade life.



SILKY BLACK PLATING

New electroless Silky black plating process allows the entire blade to be coated in a black protective finish. This provides excellent wear and rust resistance and reduces light reflections during hunting and stealth activities.



RUBBER HANDLE

The rubber handle is comfortable to hold, reduces vibration and offers superior grip when hands are wet or cold when wearing gloves.



GENKI GRIP

The non-slip rubberized grip absorbs vibration and directs more usable energy to the cutting edge. The screwless grip requires no tools for changing the blade.



RUBBER JACKET

Light and comfortable rubber grip with rigid aluminum chassis.




ARBOR COMPOSITE GRIP

Arbor Composite Grip provides warm and comfortable touch, excellent rigidity, and superior control in dry, wet, or game processing conditions.



3D-ROLLER US PAT. 9,821,481

The three rollers provide a smoother action when inserting the saw in the sheath from any angle. The tri-roller system includes a locking mechanism that prevents the saw from accidentally falling out.



MADE IN JAPAN

All our craftsmen are committed to guarantee the best quality. With 100 years of experience, the passion and the hard work have remained unchanged in Silky's manufacturing.

01

FIXED SAWS

Silky's fixed saws are an essential piece of equipment for arborists and professional gardeners worldwide. The highest requirements are met, even in the hardest working conditions.



SUGOI PROFESSIONAL



X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
330	390-33	330/13.0	5.5-6.5/4.7-5.5	580	1.9	390336	391-33	391333
360	390-36	360/14.2	5.5-6.5/4.7-5.5	615	1.9	390367	391-36	391364
420	390-42	420/16.5	5.5-6.5/4.7-5.5	630	1.9	390428	391-42	391425

SUGOWAZA PROFESSIONAL



X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
420	419-42	420/16.5	5.5-6.5/4.7-5.5	710	1.7	419426	420-42	420422



ZÜBAT PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	270-24	240/9.5	7.5/6.4	445	1.4	270249	271-24	271246
270	270-27	270/10.6	7.5/6.4	450	1.4	270270	271-27	271277
300	270-30	300/11.8	7.5/6.4	490	1.4	270300	271-30	271307
330	270-33	330/13.0	7.5/6.4	495	1.4	270331	271-33	271338



ZÜBAT PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
390	270-39	390/15.4	7.5/6.4	610	1.4	270393	271-39	271390



IBUKI PROFESSIONAL



X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
390	275-39	390/15.4	5.5/4.7	735	1.7	275398	276-39	276395

ZÜBAT PROFESSIONAL



FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
330	278-33	330/13.0	10/8.5	500	1.4	278337	279-33	279334



ZÜBAT ARBORIST PROFESSIONAL



X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
330	722-33	330/13.0	5.5/4.7	505	1.4	722395	723-33	723332





Gomtaro PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	102-21	210/8.3	8/6.8	360	1.4	102212	103-21	103219
240	102-24	240/9.5	8/6.8	370	1.4	102243	103-24	103240
270	102-27	270/10.6	8/6.8	390	1.4	102274	103-27	103271
300	102-30	300/11.8	8/6.8	405	1.4	102304	103-30	103301

Gomtaro PROFESSIONAL



FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	104-24	240/9.5	13/11.0	355	1.1	104247	105-24	105244
270	104-27	270/10.6	13/11.0	370	1.1	104278	105-27	105275
300	104-30	300/11.8	13/11.0	385	1.1	104308	105-30	105305

TSURUGI PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
300	450-30	300/11.8	8/6.8	435	1.6	450306	451-30	451303

MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
300	452-30	300/11.8	10/8.5	435	1.6	452300	453-30	453307

TSURUGI CURVE PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
270	454-27	270/10.6	7.5/6.4	420	1.5	454274	455-27	455271
330	454-33	330/13.0	7.5/6.4	460	1.6	454335	455-33	455332
375	454-37	375/14.8	6.5/5.5	480	1.7	454373	455-37	455370

MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
270	456-27	270/10.6	10/8.5	430	1.5	456278	457-27	457275
330	456-33	330/13.0	10/8.5	470	1.6	456339	457-33	457336



Gomtaro PRO-SENTEI PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
300	108-30	300/11.8	8+14/6.8+11.9	395	1.3	108306	109-30	109303

Gomtaro ROOT-CUTTING PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	153-24	240/9.5	8/6.8	365	1.3	153245	154-24	154242



GUN-FIGHTER CURVE PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
270	730-27	270/10.6	6-8.5/5.1-7.2	445	1.4	730279	731-27	731276
300	730-30	300/11.8	6-8.5/5.1-7.2	460	1.4	730309	731-30	731306
330	730-33	330/13.0	6-8.5/5.1-7.2	465	1.4	730330	731-33	731337

NATANOKO PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
330	129-33	330/13.0	7-8/5.9-6.8	455	1.4	129332	130-33	130338

02

FOLDING SAWS

Silky's folding saws, which is convenient to carry with you, is ideal for camping, bushcrafting as well as gardeners and constructors.

A comfortable rigid handle that offers your hand the perfect grip.

FOLDABLE BLADE

MONOCOQUE STRUCTURE

SECURE LOCKING MECHANISM

RIGID CHASSIS WITH NON-SLIP RUBBERIZED GRIP



GONBOY PROFESSIONAL



MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	121-21	210/8.3	10/8.5	230	1.3	121213	122-21	122210
240	121-24	240/9.5	10/8.5	265	1.4	121244	122-24	122241
270	121-27	270/10.6	10/8.5	290	1.4	121275	122-27	122272
300	121-30	300/11.8	10/8.5	315	1.4	121305	122-30	122302

GONBOY CURVE PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	717-21	210/8.3	8/6.8	235	1.3	717218	718-21	718215
240	717-24	240/9.5	8/6.8	265	1.3	717249	718-24	718246
270	717-27	270/10.6	8/6.8	300	1.4	717270	718-27	718277
300	717-30	300/11.8	8/6.8	325	1.4	717300	718-30	718307



POCKETBOY PROFESSIONAL



MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
130	340-13	130/5.0	10/8.5	180	1.3	340133	341-13	341130
170	340-17	170/6.7	10/8.5	220	1.3	340171	341-17	341178



POCKETBOY PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
130	345-13	130/5.0	8/6.8	180	1.3	346135	347-13	347132
170	345-17	170/6.7	8/6.8	225	1.3	346173	347-17	347170



POCKETBOY CURVE PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
130	726-13	130/5.0	8/6.8	180	1.3	726135	727-13	727132
170	726-17	170/6.7	8/6.8	225	1.3	726173	727-17	727170



POCKETBOY PROFESSIONAL



FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
130	342-13	130/5.0	20/16.9	170	0.9	342137	343-13	343134
170	342-17	170/6.7	20/16.9	215	0.9	342175	343-17	343172



BigBOY PROFESSIONAL



MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	350-36	360/14.2	10/8.5	450	1.7	350361	351-36	351368

BigBOY PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	354-36	360/14.2	7/5.9	450	1.7	354369	355-36	355366

BigBOY PROFESSIONAL



FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	352-36	360/14.2	13/11.0	405	1.2	352365	353-36	353362

BigBOY 2000 PROFESSIONAL



X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	356-36	360/14.2	6.5/5.5	440	1.7	356363	357-36	357360



KATANABOY PROFESSIONAL



X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
500	403-50	500/19.7	5/4.2	950	1.9	403500	404-50	404507
650	710-65	650/25.6	4/3.4	1,310	2.5	710653	711-65	711650
1000	710-99	1,000/39.4	2.5-5/2.1-4.2	2,190	2.5	710998	711-99	711995

FIBO PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
180	143-18	180/7.0	7.5/6.4	165	1.3	143185	144-18	144182
FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
180	141-18	180/7.0	14/11.9	155	1.1	141181	142-18	142188

SUPERACCEL 21 PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	119-21	210/8.3	7.5/6.4	200	1.3	119210	120-21	120216
FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	117-21	210/8.3	14/11.9	190	1.1	117216	118-21	118213



ULTRAACCEL STRAIGHT PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	444-24	240/9.5	7.5/6.4	300	1.3	444244	445-24	445241

ULTRAACCEL CURVE PROFESSIONAL



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	446-24	240/9.5	7.5/6.4	300	1.3	446248	447-24	447245

[WOODWORKING SAWS]

WOODBOY PROFESSIONAL



X-FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	386-24	240/9.5	26/22.0	215	0.7	386247	387-24	387244



hibiki PROFESSIONAL



X-FINE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
210	396-21	210/8.3	22+10/18.6+8.5	345	0.9	396215	397-21	397212



03

CHOPPERS

The unrivaled sharpness of the Japanese sword, captured in a convenient tool. A special alloy steel blade that achieves both hardness and toughness. From debarking, shedding and laying hedge to brush clearing, this is the ultimate all-rounder.



NATA PROFESSIONAL Double Edge



	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
180	555-18	180/7.0	-	750	-	555186	556-18	556183
240	555-24	240/9.5	-	880	-	555247	556-24	556244



ONO PROFESSIONAL



	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
120	568-10	120/4.7	-	925	-	568100	569-10	569107



YOKI PROFESSIONAL



	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
270	570-27	270/10.6	-	715	-	570271	571-27	571278






OUTBACK EDITION

Silky has developed a completely new line of folding saws, specially designed for outdoor and hunting. The Arbor composite grip is developed according to a completely new technology, guaranteeing a warm and comfortable touch and superior control. The blade features a protective black coating which is rust-proof and non-reflective. Embark on your new adventure with the Silky Outback Edition.

04



@old_swell

@old_swell

@pu.ku.3

22

21



BIGBOY 2000 PROFESSIONAL **OUTBACK** Edition



X-LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
360	754-36	360/14.2	6.5/5.5	480	1.7	754367	755-36	755364

POCKETBOY PROFESSIONAL **OUTBACK** Edition



MEDIUM	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
170	750-17	170/6.7	10/8.5	250	1.3	750176	751-17	751175

GOMBOY CURVE PROFESSIONAL **OUTBACK** Edition



LARGE	SAW Code No.	Blade length mm/in	Teeth Per 30mm/in	Weight (g)	Kerf (mm)	Barcode No. 4903585	BLADE Code No.	Barcode No. 4903585
240	752-24	240/9.5	8/6.8	290	1.3	752240	753-24	753247



1st GENERATION
1985 -

2nd GENERATION
1995 -

3rd GENERATION
2015 -

05

EPILOGUE

The GOMBOY represents the innovations of Silky, continuously impressing its global users. All Silky saws are developed to achieve "the best sharpness in the world". We will continue to evolve the beautiful design and high functionality.